

DS-D5065UC 64.5" 4K Monitor



Key Features

- Designed for surveillance, high reliability and stability
- 4K resolution is 4 times 1080P can own broader view and more abundant details
- High performance CPU with dual core A73 1.2GHz
- HDMI support up to 4K@60Hz
- Multiple inputs: HDMI, VGA,RJ45,USB
- Build-in speaker, Audio 8W*2
- Narrow front Bezel
- High reliability and stability, 24/7 operation

Interfaces



NO.	Description
1	RS232
2	HDMI 2.0*2
3	VGA
4	LAN
5	Audio out
6	Audio in
7	USB3.0*1 /USB2.0*1
8	TF card
9	OPS



Specifications

Model	DS-D5065UQ/DS-D5065UC	
Backlight	D-LED	
Screen Size	64.5 inch	
Pixel Pitch	0.372mm(H) * 0.372mm (W)	
Max Resolution	3840 * 2160	
Brightness	400 cd/m2(Typ.)	
Contrast	1200:1	
Response Time	8ms	
Color	1.07billion	
Active Area	1428.48mm(H) * 803.52mm(V)	
Viewing Angle	Horizontal 178°, Vertical 178°	
Interfaces	RS232	1
	HDMI 2.0*2	2
	VGA	1
	LAN	1
	Audio out	1
	Audio in	1
	USB3.0*1 /USB2.0*1	2
Power Supply	AC 100~240V, 50/60 Hz	
Power Consumption	≤270W	
Standby Power Consumption	0.5W	
Loudspeaker	8W*2	
Working Temperature	0~40°C	
Working Humidity	20% - 80%RH(No Condensation)	
Storage Temperature	-20°C ~ + 60°C	
Storage Humidity	10% - 90%RH(No Condensation)	
Color of Casing	Black	
VESA	400mm*400mm	
Dimensions(W*H*D)	1458.7mm*834.7mm*.81.6mm	
Packing Dimensions(W*H*D)	1655mm*1078mm*280mm	
Gross Weight	30.6kg	
Net Weight	24.5kg	
Accessories	Power cord	
	Battery	
	Remote Control	
	User manual	
	HDMI cable	
Bracket	Pedestal	NA
	Wall mounted	Optional DS-DM6586W
*Note	All specifications mentioned above are subject to the actual product	

Dimensions (unit: mm)

